upson hand tools



UPSON
and
HOLD-E-ZEE

SCREWDRIVERS
NUTDRIVERS
SCRATCH AWLS
4-IN-1 TOOLS

UPSON TOOLS, INC.
ROCHESTER, NEW YORK 14612

CATALOG NO. 72

SCREWDRIVERS

HOLD-E-ZEE SCREW-HOLDING

Holds, starts and sets-up screws in unhandy places. Gripper snaps back out of way by spring action giving full blade use.

Chrome vanadium hexagon blades, plated, tempered entire length. Unbreakable, shockproof, fire resistant, Tenite handles, specially shaped for sure easy grip. "Lok-Blok" plastic insert prevents blade drive thru and twisting.

FOR SLOTTED HEAD SCREWS

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
TR-2	5/32	2	4	1/2
TR-3	5/32	3	5 3/4	1/2
TR-4	5/32	4	7 1/4	5/8
TR-6	5/32	6	9 5/8	3/4
TR-8	5/32	8	11 5/8	7/8
TR-10	5/32	10	13 5/8	1

No. TR-2, twelve; balance, six in a box



No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
TS-4	7/32	4	8	1 1/8
TS-7	7/32	7	11	1 1/2

Six in a box.



No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
TH-4	5/16	4	8	2
TH-6	5/16	6	10	2 1/4
TH-8	5/16	8	12 7/8	2 7/8
TH-10	5/16	10	14 7/8	3
TH-12	5/16	12	16 7/8	3 3/8

Six in a box.

Stubby

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
TC-2	7/32	1 3/4	4 1/4	1

Six in a box.

FOR RECESSED HEAD SCREWS

PR type (Point No. 1 plus) for Nos. 1 to 8 screws.

PS type (Point No. 2 plus) for Nos. 6 to 16 screws.

PH type (Point Nos. 3 and 4) for Nos. 12 to 18 and larger screws.

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
PR-2	5/32	2	4 5/8	1/2
PR-4	5/32	4	7 1/4	5/8
PR-6	5/32	6	9 1/2	3/4
PS-2	7/32	2	4 1/2	1
PS-4	7/32	4	8	1 1/8
PS-7	7/32	7	11	1 1/2
PH-4	5/16	4	8	2
PH-6	5/16	6	10	2 1/4
PH-8	5/16	8	12 7/8	2 7/8

Note—No. PS-2 is Stubby Pattern.

Six in a box.

See Page 7 for Information Pertaining to Hold-E-Zee Advertising Screwdrivers

HOLD-E-ZEE ASSORTMENTS

Attractive, practical and sales-producing self-service display assortments.



Pegboard

Holds 39 Hold-E-Zee screwdrivers slotted and cross point in 9 fastest moving sizes.

Contents of Assortment

Qty.	No.	Qty.	No.
6	TR-2	4	PR-4
6	TR-4	4	PS-4
5	TS-4	3	TC-2
4	TR-6	3	TH-6
4	TS-7		

No.	Size, in.	Wt. asst., lbs.
HEZ-9	11 1/4 x 16	8

One assortment in a carton.

Refill for HEZ-9

No.	Wt., lbs.
HEZ-9R	7



For Slotted Head Screws

17 popular screwdrivers; one each of 7 sizes on display with back-up stock of balance.

Contents of Assortment

Qty.	No.	Qty.	No.
3	TS-4	3	TR-6
3	TS-7	1	TR-8
3	TR-2	1	TH-6
3	TR-4		

No.	Size, in.	Wt. asst., lbs.
D-17	10x12 1/2	3 1/2

One assortment in a carton.

HOLD-E-ZEE ASSORTMENTS

All metal, 4-color, pegboard display holding a balanced selection of 55 Hold-E-Zee screwdrivers. An NRHA approved unit. 17x24 in. over all.

Contents of Assortment

8—No. TR-2C Slotted drivers
6—No. TR-3C Slotted drivers
6—No. TR-4C Slotted drivers
5—No. TR-6C Slotted drivers
4—No. TC-2C Stubby slotted drivers
5—No. TS-4C Slotted drivers
5—No. TS-7C Slotted drivers
4—No. PR-2C Phillips drivers
5—No. PR-4C Phillips drivers
3—No. PS-2C Stubby Phillips drivers
4—No. PS-4C Phillips drivers

No.	Wt. asst., lbs.
CD-55H	11 1/2

One assortment in a carton.

CARDED

Individually carded for pegboard display purposes.

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
TR-2C	5/32	2	4	3/4
TR-3C	5/32	3	5 3/4	1
TR-4C	5/32	4	7 1/4	1 1/2
TR-6C	5/32	6	9 5/8	1 3/4
TC-2C	7/32	1 3/4	4 1/4	1 3/4
TS-4C	7/32	4	8	2 1/2
TS-7C	7/32	7	11	2 3/4
PR-2C	5/32	2	4 3/4	1
PR-4C	5/32	4	7 1/4	1 1/2
PR-6C	5/32	6	9 5/8	1 3/4
PS-2C	7/32	2	4 1/2	1 3/4
PS-4C	7/32	4	8	2 1/2
PS-7C	7/32	7	11	2 3/4

Ten in a box.

SCREWDRIVERS

UPSON STANDARD

UPSON STANDARD

Chrome vanadium hexagon blades, plated, tempered entire length. Unbreakable shockproof Tenite handles, specially shaped for sure easy grip. "Lok-Blok" plastic insert prevents blade drive thru and twisting.

FOR SLOTTED HEAD SCREWS

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
UA-2	5/32	2	4	1/2
UA-3	5/32	3	5 3/4	3/8
UA-4	5/32	4	7 1/4	5/8
UA-6	5/32	6	9 5/8	3/4
UA-8	5/32	8	11 5/8	7/8

No. UA-2, twelve; balance, six in a box.

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
UB-4	7/32	4	8	1 1/8
UB-7	7/32	7	11	1 3/8

Six in a box.



No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
UC-4	5/16	4	8	1 7/8
UC-6	5/16	6	10	2 1/8
UC-8	5/16	8	12 3/4	2 5/8
UC-10	5/16	10	14 3/4	3
UC-12	5/16	12	16 3/4	3 3/8

Six in a box.

Stubby

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
UB-2	7/32	1 3/4	4 1/4	1

Six in a box.

FOR RECESSED HEAD SCREWS

PA type (Point No. 1 plus) for Nos. 1 to 8 screws.

PB type (Point No. 2 plus) for Nos. 6 to 16 screws.

PC type (Point Nos. 3 and 4) for Nos. 12 to 18 and larger screws.

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
PA-2	5/32	2	4 5/8	3/8
PA-4	5/32	4	7 1/4	5/8
PB-2	7/32	2	4 1/4	1
PB-4	7/32	4	8	1 1/8
PB-7	7/32	7	11	1 3/8
PC-4	5/16	4	8	2
PC-6	5/16	6	10	2 1/4

Note—No. PB-2 is Stubby Pattern

Six in a box.

SEL-FAST ASSORTMENTS



Eye-catching pegboard display with plastic shelf. Can be hung on wall or stood on counter. Holds 39 screwdrivers in 9 fastest moving sizes, both slotted and cross point.

Contents of Assortment

Qty.	No.	Qty.	No.
6	UA-2	4	PA-4
6	UA-4	4	PB-4
5	UB-4	3	UB-2
4	UA-6	3	UC-6
4	UB-7		

No.	Size, in.	Wt. asst., lbs.
UP-39	11 1/4 x 16	8

One assortment in a carton.

Refill for UP-39

No.	Wt., lbs.
UP-39R	6.5

Insulated

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
ZUA-3	5/32	3	5 3/4	1/2
ZUA-6	5/32	6	9 5/8	3/4
ZUB-7	7/32	7	11	1 1/2
ZUC-6	5/16	6	10	2 1/8
ZUC-8	5/16	8	12 3/4	3

Six in a box.

No. ZSD-5—Kit, one each of above; wt. 1 1/4 lbs.

CARDED

Individually carded for pegboard display purposes.

No.	Hex diam., in.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
UA-2C	5/32	2	4	3/4
UA-3C	5/32	3	5 3/4	1
UA-4C	5/32	4	7 1/4	1 1/2
UA-6C	5/32	6	9 5/8	1 3/4
UB-2C	7/32	1 3/4	4 1/4	1 3/4
UB-4C	7/32	4	8	2 1/2
UB-7C	7/32	7	11	2 3/4
PA-2C	5/32	2	4 5/8	3/4
PA-4C	5/32	4	7 1/4	1 1/2
PB-2C	7/32	2	4 1/4	1 3/4
PB-4C	7/32	4	8	2 1/2

Ten in a box.

UPSON TOP QUALITY ASSORTMENTS



A new all metal 4 color display holds a balanced selection of 55 Upson screwdrivers, both slotted and cross point.

Contents of Assortment

Qty.	No.	Qty.	No.
8	UA-2C	5	PA-4C
6	UA-3C	4	UB-2C
6	UA-4C	4	PA-2C
5	UA-6C	4	PB-4C
5	UB-4C	3	PB-2C
5	UB-7C		

No.	Size, in.	Wt. asst., lbs.
CD-55U	17x24	11

One assortment in a carton.

TOOL ASSORTMENTS

UPSON TOP QUALITY



2 color metal pegboard display accommodates the best sellers in the line of Upson Tools. Furnished with sturdy legs for floor or counter or may be hung on wall or bin end area. Plastic shelves. Measures 24x30 in.

Contents of TD-141 Assortment

39—Hold-E-Zee Screwdrivers—See HEZ-9 Page 2
39—Upson Screwdrivers—See UP-39 Page 3
32—Nutdrivers—See ND-72 Page 6
3—CH-5/32, 3—CH-3/16, 3—CH-1/4, 3—CH-5/16 } See Page 4
3—SA-2, 3—SA-3 } See Page 7
3—UC-10, 3—UC-12 } See Page 3

No.	No. tools	Wt. asst., lbs.
TD-141	134	40

Contents of TD-141-A Assortment

2 each—Only of all items in TD-141

No.	No. tools	Wt. asst., lbs.
TD-141A	70	29

One assortment in a carton.

SCREWDRIVERS

UPSON TYPE "G" CLUTCH HEAD

Chrome vanadium steel blades, plated for protection. Hexagon shape permits using wrench to apply added torque. Shockproof, breakproof, fire-resistant Tenite Butyrate handles. "Lok-Blok" handle construction prevents blade twist or drive thru.

No.	Clutch size, in.	Blade lgth., in.	Wt. box, lbs.
CH-$\frac{5}{32}$	$\frac{5}{32}$	4	1⅛
CH-$\frac{3}{16}$	$\frac{3}{16}$	4	1⅛
CH-¼	¼	6	2⅛
CH-$\frac{5}{16}$	$\frac{5}{16}$	6	2⅛

Six in a box.

Carded

Individually carded for pegboard display purposes.

No.	Clutch size, in.	Blade lgth., in.	Wt. box, lbs.
CH-$\frac{5}{32}$C	$\frac{5}{32}$	4	2.2
CH-$\frac{3}{16}$C	$\frac{3}{16}$	4	2.2
CH-¼C	¼	6	3.5
CH-$\frac{5}{16}$C	$\frac{5}{16}$	6	3.5

Ten cards in a box.



KITS

Consists of 1 each of the four numbers of Clutch Head Drivers shown above in a see-thru plastic pouch. May be hung on pegboard.

No. CH-4—Wt. 1¼ lbs.

UPSON SCRULOX® SQUARE HEAD DRIVERS

Aluminum blades have genuine Scrulox inserts to assure longer life. Shockproof, breakproof Tenite handles. "Lok-Blok" handle construction prevents blade twist and drive-thru. Color coded.

No.	Tip size, no.	Length blade, in.	Wt. box, lbs.
SL-0	0	4	.9
SL-1	1	4	.9
SL-2	2	4	.9
SL-3	3	4	.9

Six in a box.

KITS

Consists of 1 each of the four numbers of Scrulox Square Head Drivers shown above in a see-thru plastic pouch. May be hung on pegboard.

No. SL-4—Wt. .5 lb.

CARDED

For carded add letter "C" to item number. Ten cards in a box. Add .8 lb. to weights.

UPSON CLUTCH HEAD ASSORTMENTS



Metal stand for counter or pegboard holds 5 each of 4 sizes Clutch Head type G screwdrivers. Individually carded.

Contents of Assortment

5—CH-$\frac{5}{32}$C Clutch Head
5—CH-$\frac{3}{16}$C Clutch Head
5—CH-¼C Clutch Head
5—CH-$\frac{5}{16}$C Clutch Head

No.	Size, in.	Wt. asst., lbs.
CH-20	11x17	8.5

One assortment in a carton.

HOLD-E-ZEE KITS

Popular selection of screwdrivers in handsome plastic kits for use as roll or hang-up.



Regular Use

Contains 5 screwdrivers, 1 each Nos. TR-4, PR-4, TS-4, PS-4 and TH-6.

No.	Kits in ctn.	Wt. ctn., lbs.
TK-5	6	7



Special Electronics

Contains 5 screwdrivers, 1 each Nos. TR-4, PR-4, TR-6, TR-8 and TS-7.

No.	Kits in ctn.	Wt. ctn., lbs.
RT-52	6	5½

UPSON KITS



Regular Use

Popular selection of screwdrivers in handsome plastic kits for use as roll or hang-up. Contains 5 screwdrivers, 1 each Nos. UA-4, PA-4, UB-4, PB-4 and UC-6.

No.	Kits in ctn.	Wt. ctn., lbs.
UT-15	6	7

UPSON MULTI-PURPOSE KITS



Upson multi-purpose kit with 12 double ended screwdriver blades (24 different tips) for slotted, cross point, clutch head, Scrulox and hex recessed screws. Also 4 taps for cleaning and rethreading. Regular and stubby handle can also be used as $\frac{5}{16}$ in. nutdriver.

Contents of Kit

1 each SP and SR Handles, Double End Blades FB-10, FB-14, RC-20, RC-24, CH-30, CH-32, SL-50, SL-52, BE-02, BE-04, BE-06, BE-08, TT-11 and TT-12—see page 5.

No.	Wt. kit, lbs.
MS-30	1

Note—Other combinations available.

MOBILE HOME-TRAVEL TRAILER KITS

UPSON SPECIAL



Put up in see-thru plastic pouch. May be hung on pegboard.

No. TT-9—Consists of One Each

MX-41—4-in-1 Screwdriver
CH-30—Clutch Head Double End Bit
SL-52—Scrulox Double End Bit
ND-1/4—Hold-E-Zee Nutdriver
SA-3—Upson Scratch Awl

Note—Other combinations available.

SCREWDRIVERS
UPSON 4-IN-1



Two double end hex bits are held in each end of hex tube. Bits are reversible in tube and tube is reversible in handle. Plastic handle.

Slotted Blades Only

No.	With bits, Nos.	Wt. box, lbs.
FB-41	FB-10, FB-14	2¼
Phillips Head Blades Only		
RC-41	RC-20, RC-24	2¼
Clutch Head Blades Only		
CH-41	CH-30, CH-32	2¼
Slotted and Phillips Head Blades		
MX-41	FB-12, RC-22	2¼
Scrulox Square Head Blades Only		
SL-41	SL-50, SL-52	2¼

Six in a box.

UPSON REPLACEMENT DOUBLE END BLADES

For use in 4-in-1 screwdrivers.

No.	Size
Slotted Head	
FB-10	$\frac{1}{8}$"x$\frac{3}{16}$"
FB-12	$\frac{3}{16}$"x¼"
FB-14	¼"x$\frac{9}{32}$"
Recessed Head	
RC-20	#0x#1
RC-22	#1x#2
RC-24	#2x#3
Clutch Head	
CH-30	$\frac{5}{32}$"x$\frac{3}{16}$"
CH-32	¼"x$\frac{5}{16}$"
Combination Head	
SP-40	#1x$\frac{3}{16}$"
SP-42	#2x¼"
Scrulox Head	
SL-50	#0x#3
SL-52	#1x#2
Ball End (Allen Type)	
BE-02	$\frac{7}{64}$x⅛"
BE-04	$\frac{9}{64}$x$\frac{5}{32}$"
BE-06	$\frac{3}{16}$x$\frac{7}{32}$"
BE-08	¼x$\frac{5}{16}$"
Tap Tools	
TT-11	6x32NC & 10x24NC
TT-12	8x32NC & 10x32NF

Weight per box .5 pounds.
Twelve in a box.



CARDED
4-IN-1 Screwdrivers

No.	With bits, Nos.	Wt. box, lbs.
FB-41C	FB-10, FB-14	3¾
RC-41C	RC-20, RC-24	3¾
CH-41C	CH-30, CH-32	3¾
MX-41C	FB-12, RC-22	3¾
SL-41C	SL-50, SL-52	3¾

Ten cards in a box.

SCREWDRIVER ASSORTMENTS
UPSON 4-IN-1



Contents of Assortment

4—No. MX-41 With mixed slotted and Phillips head blades
4—No. RC-41 With Phillips head blades
4—No. FB-41 With slotted head blades
4—No. CH-41 With clutch head blades

No.	Wt. asst., lbs.
CR-16	9

One assortment in a carton.

Refill For CR-16

No.	Wt., lbs.
CR-16R	7



Colorful metal rack for counter or pegboard display. Holds 4 each of 4 combinations of 4-In-1 screwdrivers. Individually carded.

Contents of Assortment

4—MX-41C Mixed
4—RC-41C Phillips Head Only
4—FB-41C Slotted Only
4—CH-41C Clutch Head Only

No.	Size, in.	Wt. asst., lbs.
CR-16C	11x17	10

One assortment in a carton.

QUAD TAP-TOOLS
UPSON



TT-41 TT-41C

A special tool designed for rethreading, cleaning threads, threading thin gauge materials or plastics. Used by electricians, plumbers, do-it-yourselfers in electrical wiring, electronic assembly and for cleaning threads in plumbing fixtures with small openings.

Handle of durable Tenite is shaped for easy grip and balance. Precision-fitted insert chuck. Double socket hexagon shaped tube interlocks with handle for positive drive.

Two double-ended Upson quality precision taps (4 sizes) with hex center shank and ball snap to assure non-slip fit in tube.

Furnished with TT-11 and TT-12 taps.

No.	Std. pack	Wt. pack, lbs.
TT-41	6	2.3
Carded		
TT-41C	10	4.0

Double End Replacement Taps

No.	Size
TT-11	6x32NC & 10x24NC
TT-12	8x32NC & 10x32NF

Weight per box .5 pounds.
Twelve in a box.

NUTDRIVERS

HOLD-E-ZEE

Holds the nut securely using special socket design for quicker, easier work. Full hollow shaft permits wider range use.

Hard, tempered hex shaft, plated, permits using wrench for extra torque. Unbreakable, shockproof, fire-resistant Tenite handles, shaped for sure easy grip. Unique handle construction makes it twist and impact proof. Color coded.

No.	Size, in.	Over-all, in.	Wt. box, lbs.
ND-3/16	3/16	7	1¼
ND-1/4	¼	7	1¼
ND-5/16	5/16	7	1¼
ND-11/32	11/32	7	1¼
ND-3/8	⅜	7	1¼
ND-7/16	7/16	7	1 5/16
ND-1/2	½	7	1 5/16
ND-9/16	9/16	7 1/16	1⅞
ND-5/8	⅝	7 1/16	1⅞

Stubby Pattern

NS-1/4	¼	3⅞	1
NS-5/16	5/16	3⅞	1

Six in a box.

CARDED

No.	Size, in.	Over-all, in.	Wt. box, lbs.
ND-3/16C	3/16	7	2¼
ND-1/4C	¼	7	2¼
ND-5/16C	5/16	7	2¼
ND-11/32C	11/32	7	2¼
ND-3/8C	⅜	7	2½
ND-7/16C	7/16	7	2½
ND-1/2C	½	7	2½

Stubby Pattern

NS-1/4C	¼	3⅞	1¾
NS-5/16C	5/16	3⅞	1¾

Ten cards in a box.

HOLD-E-ZEE METRIC SIZES

No.	Size, mm	Over-all, mm	Wt. box, lbs.
ND-5MM	5	180	1.2
ND-5.5MM	5.5	180	1.2
ND-6MM	6	180	1.2
ND-7MM	7	180	1.2
ND-8MM	8	180	1.2
ND-9MM	9	180	1.2
ND-10MM	10	180	1.2
ND-11MM	11	180	1.2
ND-12MM	12	180	1.3
ND-13MM	13	180	1.3
ND-14MM	14	180	1.9

Six in a box.

7-Piece Roll Kit

7 sizes (6mm to 12mm) in a kit.

No.	Wt. kit, lbs.
NDM-7	1.5

SEL-FAST ASSORTMENTS



Pegboard

Eye-catching pegboard display with plastic shelf. Can be hung on wall or stood on counter.

Holds 32 nutdrivers in 9 fastest moving sizes.

Contents of Assortment

Qty.	No.	Qty.	No.
4	ND-3/16	4	ND-7/16
4	ND-¼	4	ND-½
4	ND-5/16	2	NS-¼
4	ND-11/32	2	NS-5/16
4	ND-⅜		

No.	Size, in.	Wt. asst., lbs.
ND-72	11¾x13¼	8¾

One assortment in a carton.

UPSON 4-IN-1 ADJUSTABLE



upson

Adjusts automatically to fit hex nut size from ¼ to 7/16 in. Simply press and turn. Offers the advantages of a four piece socket wrench set in one compact unit. Plastic handle.

No.	No. in box	Wt. box, lbs.
ND-41	10	3½

On individual display cards.

Demonstration Display Unit

An attractive display unit with 10 No. ND-41 carded display drivers. Rack FREE with first order.

Demonstration panel allows customer to try tool on several size nuts.

No.	Wt. each, lbs.
ND-410	5½

One display in a box.

ROLL KITS

Popular sizes of nutdrivers in durable plastic kits. For use as roll or hang-up.



7 Roll Kit

Contains 1 each of Nos. ND3/16, ND¼, ND5/16, ND11/32, ND⅜, ND7/16 and ND½.

No.	Kits in ctn.	Wt. ctn., lbs.
ND-7	6	9



5 Roll Kit

Contains 1 each of Nos. ND3/16, ND¼, ND5/16, ND11/32 and ND⅜.

No.	Kits in ctn.	Wt. ctn., lbs.
ND-5	6	6¾

Insulated

Same contents as No. ND-5 kit.

No. ZND-5—Wt. each 1 lb.

BENCH STAND



Rugged plastic stand for work bench.

Contains 1 each of Nos. ND3/16, ND¼, ND5/16, ND11/32, ND⅜, ND7/16 and ND½.

No.	Kits in ctn.	Wt. kit, lbs.
NDBS	1	1½

UPSON GUARANTEE

Upson Quality Hand Tools For Home, Industry, Automotive, Marine, Electronics And Electrical Trades Are Guaranteed Against Defective Materials And Workmanship And Will Be Replaced Or Repaired Free Of Charge When Returned Prepaid To Factory. This Guarantee Does Not Apply To Tool Failure Caused As A Result Of Abuse Or When Used For Purposes Other Than What It Was Intended.

SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

REVERSIBLE SCREWDRIVERS

UPSON



Slotted head point at one end of insert blade, Phillips head point at other end. Serves as a $\frac{5}{16}$ in. nut driver with blade removed. Plastic handle.

No.	With blade No.	Wt. box, lbs.
SP-1	SP-40	2½
SP-2	SP-42	2½

On individual display cards, ten cards in a box.

UPSON STUBBY



On Individual Display Cards

Ten cards in a box.

No.	With blade No.	Wt. box, lbs.
SR-40	SP-40	2.5
SR-42	SP-42	2.5

Handle Only

No.	Style	Wt. box, lbs.
SP	Regular	1.5
SR	Stubby	1.0

Note—Both SP and SR are available with any Upson replacement double end blade. (See page 5). Packed six in a box.

UPSON ASSORTMENT

VEL-PLAX ADVERTISING SCREWDRIVERS

Imprinted Vel-Plax Screwdrivers are the ideal gift and increase goodwill on any occasion. The exclusive, colorful patented Lok-Blok prevents twisting of blade in handle. The famous Hold-E-Zee gripper holds and sets up screws in unhandy places. Minimum order — 100 units or combination.

Hold-E-Zee

Hold-E-Zee design screwdriver with copy imprinted on handle. Complete with pocket clip.

2x$\frac{5}{32}$ in. blade; 4⅝ in. over all. Includes 3 lines of imprint of 16 characters each only.

No. AH-2—With Hold-E-Zee gripper and green Lok-Blok

Upson

Standard design screwdriver with copy imprinted on handle. Complete with pocket clip.

2x$\frac{5}{32}$ in. blade; 4⅝ in. over all. Includes 3 lines of imprint of 16 characters each only.

No. AU-2—With red Lok-Blok .

Shipping weight: 6½ lbs. per carton of 100.

SCRATCH AWLS

UPSON



No. SA-2

No. SA-3

Designed for tough rugged jobs—scoring tile flooring materials, punching sheet metal, wood, etc. to start screws, align bolt holes, plus many other uses.

Hard, tempered steel blades with special taper. Tenite ball butt handle, fits easy in the palm. "Lok-Blok" handle construction eliminates drive thru.

No.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
SA-2	3¾	6⅜	⅞
SA-3	3¾	7	⅞

Six in a box.

Carded

Individually carded for pegboard display purposes.

No.	Blade lgth., in.	Over-all, in.	Wt. box, lbs.
SA-2C	3¾	6⅜	1½
SA-3C	3¾	7	1½

Ten cards in a box.

Colorful metal rack for counter or pegboard display. Features 4 combinations of reversible screwdrivers. Individually carded.

Contents of Assortment

	Blade No. See Page 5
5 each—SP-1	SP-40
5 each—SP-2	SP-42
5 each—SR-40 (Stubby)	SP-40
5 each—SR-42 (Stubby)	SP-42

No.	Size, in.	Wt. asst., lbs.
RS-20	11x17	8

One assortment in a carton.

WINDOW ANTI-RATTLERS

ROLTITE



Auto window anti-rattlers with double torsion spring instantly slips on window sills. No tools needed. Roller turns freely—eliminates bothersome rattles. Plated.

Blister packed one pair per card.

No.	Pairs in ctn.	Wt. ctn., lbs.
UA-11	50	4.0



All purpose anti-rattler ideal for holder or take-up in home, car, office and shop or noisy bedroom windows. Easily installed. Automatic spring tension.

Blister packed one pair per card.

No.	Pairs in ctn.	Wt. ctn., lbs.
UA-9	50	3.8

Note—Special model available as X-Ray clip.

Printed in the U.S.A.

RECESSED HEAD SCREWDRIVERS

UPSON BALL END



Drives Allen head screws from many angles in hard-to-get-at places. Plastic handle. 4 in. blades.

No.	Size, in.	Wt. box, lbs.
BE-050	.050	.5
BE-1/16	$\frac{1}{16}$	.5
BE-5/64	$\frac{5}{64}$	.5
BE-3/32	$\frac{3}{32}$	.5
BE-7/64	$\frac{7}{64}$	.5
BE-1/8	$\frac{1}{8}$	.5
BE-9/64	$\frac{9}{64}$	.6
BE-5/32	$\frac{5}{32}$	.6
BE-3/16	$\frac{3}{16}$	1.0
BE-7/32	$\frac{7}{32}$	1.0
BE-1/4	$\frac{1}{4}$	1.2
BE-5/16	$\frac{5}{16}$	1.9

Six in a box.

Carded

For carded add letter "C" to item number. Ten cards in a box. Add ¼ lb. to weight.

Pouch Assortment

No.	Sizes in pouch	Wt. asst., lbs.
BE-8	8 ($\frac{7}{64}$–$\frac{5}{16}$)	1¼
BE-12	12 (.050–$\frac{5}{16}$)	1½

UPSON BALL END METRIC SIZES

No.	Size, mm	Wt. box, lbs.
BE-1.5MM	1.5	.5
BE-2MM	2	.5
BE-2.5MM	2.5	.5
BE-3MM	3	.5
BE-4MM	4	.6
BE-5MM	5	1.1
BE-6MM	6	1.3
BE-8MM	8	1.8
BE-10MM	10	2.0

Six in a box.

Pouch Assortment

No.	Sizes in pouch	Wt. asst., lbs.
BEM-8	8 (1.5-8 mm)	1.3

METRIC EQUIVALENTS

Item No.	Diameter millimeters (mm)	Length (mm) Blade	Length (mm) Overall
PH-4, PC-4	8	100	200
PH-6, PC-6	8	150	250
PH-8	8	200	330
PR-2, PA-2	4	50	120
PR-4, PA-4	4	100	180
PR-6	4	150	240
PS-2, PB-2	5.5	50	[illegible]
PS-4, PB-4	5.5	100	[illegible]
PS-7, PB-7	[illegible]	180	[illegible]
SA-2		100	160
SA-3		100	180
SL-0		100	200
SL-1		100	200
SL-2		100	200
SL-3		100	200

Item No.	Diameter millimeters (mm)	Length (mm) Blade	Length (mm) Overall
TC-2, UB-2	5.5	45	110
TH-4, UC-4	8	100	200
TH-6, UC-6	8	150	250
TH-8, UC-8	8	200	330
TH-10, UC-10	8	250	380
TH-12, UC-12	8	300	430
TR-2, UA-2	4	50	100
TR-3, UA-3	4	80	150
TR-4, UA-4	4	100	180
TR-6, UA-6	4	150	240
TR-8, UA-8	4	200	300
TR-10	4	250	350
TS-4, UB-4	5.5	100	200
TS-7, UB-7	5.5	180	280

UPSON REPRESENTATIVES

Name	Address	Territory	Phone
Anderson Sales Co.	23 W. Calendar Ave. LaGrange, Ill. 60525	Northern Ill.,	312-352-1432
Anderson Sales Co.	Ridge Road #5366 Whitewater, Wis. 53190	Wisconsin	414-473-6211
Chi-Pitts Corp.	P. O. Box 148 Kent, Ohio 44240	Ohio, Ky., Mich., Ind., W. Va.	216-673-4416
Godden-Olson, Inc.	324 N. First St. Minneapolis, Minn. 55401	Minn., N. D., S. D.	612-332-7793
E. T. Harsh & Associates	15 Farm Hills Lane Hingham, Mass. 02043	New England States	617-749-3555
Willard Ihlefeld & Assoc.	1201 San Marco Blvd. Jacksonville, Fla. 33207	Ala., Fla., Ga., N. C., S. C., Tenn., Va., Miss.	904-396-5282
Tom Jensen & Associates	1338 E St. Anchorage, Alaska 99501	Alaska	907-272-3216
Jessen & Peterson	100 N.E. Holladay St. Portland, Ore. 97232	Wash., Ore., West. Idaho, Mont., Hawaii	503-235-5578
Chas. H. Koslowsky Co.	406 W. 34th St. Kansas City, Mo. 64111	Ia., Kan., Mo., Nebr., S. Ill.	816-931-8088
Langdon & Associates	4546 W. Acoma Drive Glendale, Ariz. 85301	Ariz., Colo., N. Mex., El Paso, Tex., Utah, S. E. Id.	602-938-0332
S. S. Lerner Agencies Ltd.	160 Bay St., Suite 409A Toronto 116, Ont.	Eastern Can., Warehouse	416-366-9565
Lyman Agencies Ltd.	311 E. Sixth Ave. Vancouver 10, B.C.	Western Can., Warehouse	604-879-8486
Reben International Corp.	P.O. Box 9531 Santurce, P. R. 00908	P. R., V. I., Bermuda Dominican Republic	809-764-5315
Donald E. Savard Co.	126 E. Valley Blvd. Alhambra, Calif. 91801	Cal., Nev. Warehouse	213-283-0504
G. W. K. Voigt Co.	P. O. Box 489 Media, Pa. 19063	N. Y., N. J. (No. of Trenton)	215-566-9021
D. R. Weber Associates	P. O. Box 534 Norristown, Pa. 19404	Del., Md., Pa., N. J., (Trenton & So.), D. C.	215-275-4049
Wilkinson-Rey Associates	P.O. Box 2534 Dallas, Tex. 75221	Ark., La., Okla., Tex.	214-826-3094
Export Department	P. O. Box 4750 Rochester, N. Y. 14612	Export (Except as listed above)	716-663-5373 Cable Address: "UPSON TOOLS"